

Schedule of Items for Electrical work

Name of work:- Supplying of electrical items for day to day electrical maintenance work.

Sl. no.	Description of items	Unit	Rate in figure	Rate in word
1	1.5 sq mm multistrand single core PVC copper conductor cable. Make-polycab, finolex, HPL, Havells	Meter		
2	2.5 sq mm multistrand single core PVC copper conductor cable. Make-polycab, finolex, HPL, Havells	Meter		
3	4.00 sq mm multistrand single core PVC copper conductor cable. Make-polycab, finolex, HPL, Havells	Meter		
4	6.00 sq mm multistrand single core PVC copper conductor cable. Make-polycab, finolex, HPL, Havells	Meter		
5	10.00 sq mm multistrand single core PVC copper conductor cable. Make-polycab, finolex, HPL, Havells	Meter		
6	16.00 sq mm multistrand single core PVC copper conductor cable. Make-polycab, finolex, HPL, Havells	Meter		
7	1.5 sq mm multistrand single core PVC copper conductor cable. Make- Anchor, MW	Meter		
8	2.5 sq mm multistrand single core PVC copper conductor cable. Make- Anchor, MW	Meter		
9	4.00 sq mm multistrand single core PVC copper conductor cable. Make- Anchor, MW	Meter		

Estate (i/c)

Dean (P and D)

Signature of Agency / Firm / Shop / Dealer

 OR-
 CR-
 OM-

Sl. no.	Description of items	Unit	Rate in figure	Rate in word
10	6.00 sq mm multistrand single core PVC copper conductor cable. Make- Anchor, MW	Meter		
11	10.00 sq mm multistrand single core PVC copper conductor cable. Make- Anchor, MW	Meter		
12	16.00 sq mm multistrand single core PVC copper conductor cable. Make- Anchor, MW	Meter		
13	25 mm PVC casing capping. Make- Richa, AKG,Presto teak.	Each		
14	25mm PVC elbow, tee, coupler, internal, external	Each		
15	20 mm PVC conduit pipe. Make- Richa, Presto teak	Each		
16	25 mm PVC conduit pipe. Make- Richa, Presto teak	Each		
17	32 mm PVC conduit pipe. Make- Richa, Presto teak	Each		
18	20mm PVC tee, elbow	Each		
19	25mm PVC tee, elbow	Each		
20	32mm PVC tee, bend	Each		

Estate (i/c)

Dean (P and D)

Signature of Agency / Firm / Shop / Dealer

OR-
CR-
OM-

Sl. no.	Description of items	Unit	Rate in figure	Rate in word
21	6A flush type switch (ISI marked)	Each		
22	16A flush type switch (ISI marked)	Each		
23	6A flush type socket (ISI marked)	Each		
24	16A flush type socket (ISI marked)	Each		
25	a)16A switch socket combine board (ISI marked)	Each		
	b)6A switch socket combine board (ISI marked)			
26	4"X4" PVC board make - Richa, presto teak or ISI marked	Each		
27	4"X7" PVC board make - Richa, presto teak or ISI marked	Each		
28	6"X8" PVC board make - Richa, presto teak or ISI marked	Each		
29	8"X10" PVC board make - Richa, presto teak or ISI marked	Each		
30	10"X12" PVC board make - Richa, presto teak or ISI marked	Each		

Sl. no.	Description of items	Unit	Rate in figure	Rate in word
31	PVC Batten/Angle holder Make-HPL, Richar, Anchor, Maru or ISI marked	Each		
32	PVC Pendent holder Make- Anchor, Richa, Maru or ISI marked	Each		
33	Ceiling rose Make- Anchor, Richa, Maru or ISI marked	Each		
34	2 way connector	Each		
35	6A modular type switch (L&T, HPL, Havells)	Each		
36	16A modular type switch (L&T, HPL, Havells)	Each		
37	6A modular type socket (L&T, HPL, Havells)	Each		
38	6/16A modular type socket (L&T, HPL, Havells)	Each		
39	6A modular type switch (legrand/MK)	Each		
40	16A modular type switch (Legrand/MK)	Each		
41	6A modular type socket (Legrand/MK)	Each		

Estate (i/c)

Dean (P and D)

Signature of Agency / Firm / Shop / Dealer

OR-
CR-
OM-

Sl. no.	Description of items	Unit	Rate in figure	Rate in word
42	6/16A modular type socket (Legrand/MK)	Each		
43	1 module modular type metal/PVC box (L&T, HPL, Havells)	Each		
44	2 module modular type metal/PVC box (L&T, HPL, Havells)	Each		
45	3 module modular type metal/PVC box (L&T, HPL, Havells)	Each		
46	4 module modular type metal/PVC box (L&T, HPL, Havells)	Each		
47	6 module modular type metal/PVC box (L&T, HPL, Havells)	Each		
48	8 module modular type metal/PVC box (L&T, HPL, Havells)	Each		
49	12 module modular type metal/PVC box (L&T, HPL, Havells)	Each		
50	1module modular type metal/PVC box (Legrand)	Each		
51	2 module modular type metal/PVC box (Legrand)	Each		
52	3module modular type metal/PVC box (Legrand)	Each		

Sl. no.	Description of items	Unit	Rate in figure	Rate in word
53	4module modular type metal/PVC box (Legrand)	Each		
54	6module modular type metal/PVC box (Legrand)	Each		
55	8module modular type metal/PVC box (Legrand)	Each		
56	9/10module modular type metal/PVC box (Legrand)	Each		
57	12module modular type metal/PVC box (Legrand)	Each		
58	1 module modular type face and grid plate (L&T, HPL, Havells)	Each		
59	2 module modular type face and grid plate (L&T, HPL, Havells)	Each		
60	3 module modular type face and grid plate (L&T, HPL, Havells)	Each		
61	4 module modular type face and grid plate (L&T, HPL, Havells)	Each		
62	6 module modular type face and grid plate (L&T, HPL, Havells)	Each		
63	8 module modular type face and grid plate (L&T, HPL, Havells)	Each		

Estate (i/c)

Dean (P and D)

Signature of Agency / Firm / Shop / Dealer

OR-
CR-
OM-

Sl. no.	Description of items	Unit	Rate in figure	Rate in word
64	12 module modular type face and grid plate (L&T, HPL, Havells)	Each		
65	1module modular type face and grid plate (Legrand)	Each		
66	2 module modular type face and grid plate (Legrand)	Each		
67	3module modular type face and grid plate (Legrand)	Each		
68	4module modular type face and grid plate (Legrand)	Each		
69	6module modular type face and grid plate (Legrand)	Each		
70	8module modular type face and grid plate (Legrand)	Each		
71	9/10module modular type face and grid plate (Legrand)	Each		
72	12module modular type face and grid plate (Legrand)	Each		
73	2 way single metal MCB enclosure (HPL, L&T, Havells)	Each		
74	4 way single metal MCB enclosure (HPL, L&T, Havells)	Each		

Estate (i/c)

Dean (P and D)

Signature of Agency / Firm / Shop / Dealer

OR-
CR-
OM-

Sl. no.	Description of items	Unit	Rate in figure	Rate in word
75	4 way double door MCB DB (HPL, L&T, Havells)	Each		
76	8 way double door MCB DB (HPL, L&T, Havells)	Each		
77	12 way double door MCB DB (HPL, L&T, Havells)	Each		
78	MCCB DB (Double door) with bus bar, 125A earth bar, nutral link, din rail of following type	Each		
a)	4 way TPN (4+12) Double door (HPL, Havells, C&S)	Each		
b)	8 way TPN (4+18) Double door (HPL, Havells, C&S)	Each		
c)	12 way TPN (4+36) Double door (HPL, Havells, C&S)	Each		
79	6-32A, 10KA, C-Curve SP MCB (HPL, L&T,Havells, C&S, Standard)	Each		
80	40A, 10KA, C-Curve SP MCB (HPL, L&T,Havells, C&S, Standard)	Each		
81	63A, 10KA, C-Curve SP MCB (HPL, L&T,Havells, C&S, Standard)	Each		
82	6-32A, 10KA, C-Curve SPN MCB (HPL, L&T,Havells, C&S, Standard)	Each		

Estate (i/c)

Dean (P and D)

Signature of Agency / Firm / Shop / Dealer

OR-
CR-
OM-

Sl. no.	Description of items	Unit	Rate in figure	Rate in word
83	40A, 10KA, C-Curve SPN MCB (HPL, L&T,Havells, C&S, Standard)	Each		
84	63A, 10KA, C-Curve SPN MCB (HPL, L&T,Havells, C&S, Standard)	Each		
85	6-32A, 10KA, C-Curve TP MCB (HPL, L&T,Havells, C&S, Standard)	Each		
86	40A, 10KA, C-Curve TP MCB (HPL, L&T,Havells, C&S, Standard)	Each		
87	63A, 10KA, C-Curve TP MCB (HPL, L&T,Havells, C&S, Standard)	Each		
88	6-32A, 10KA, C-Curve TPN MCB (HPL, L&T,Havells, C&S, Standard)	Each		
89	40A, 10KA, C-Curve TPN MCB (HPL, L&T,Havells, C&S, Standard)	Each		
90	63A, 10KA, C-Curve TPN MCB (HPL, L&T,Havells, C&S, Standard)	Each		
91	63-100A, 16KA, 3P, (Ir setting 0.8 - 1) MCCB (HPL, Havells, C&S, Standard)	Each		
92	125A, 16KA, 3P, (Ir setting 0.8 - 1) MCCB (HPL, Havells, C&S, Standard)	Each		
93	160A, 16KA, 3P, (Ir setting 0.8 - 1) MCCB (HPL, Havells, C&S, Standard)	Each		

Estate (i/c)

Dean (P and D)

Signature of Agency / Firm / Shop / Dealer

OR-
CR-
OM-

Sl. no.	Description of items	Unit	Rate in figure	Rate in word
94	a) 40W Fluorescent tube light (Philips, CG, Havells) as per requirement	Each		
	b) 28W T-5 Fluorescent tube light (Philips, CG, Havells) as per requirement.	Each		
95	60/100w GLS Lamp. (Philips, bajaj)	Each		
96	40w flourescent tube light starter (Bajaj, Havells)	Each		
97	40w electronic ballast (philips, CG. Havells) as per requirement.	Each		
98	11w electronic ballast (bajaj, rashmi)	Each		
99	11w pin type CFL (2 pin) (bajaj)	Each		
100	36w pin type CFL (4 pin) (Bajaj, philips, havells, wipro)	Each		
101	a) 2.5 MFD fan capacitor (oil filled) (universal, tebcon)	Each		
	b) 3.15 MFD fan capacitor (oil filled) (universal, tebcon)	Each		
	c) 4.00 MFD fan capacitor (oil filled) (universal, tebcon)	Each		

Estate (i/c)

Dean (P and D)

Signature of Agency / Firm / Shop / Dealer

OR-
CR-
OM-

Sl. no.	Description of items	Unit	Rate in figure	Rate in word
102	a) 8/10 w CFL (Philips, bajaj, wipro, C&G, Havells, HPL)	Each		
	b) 18/20 w CFL (Philips, bajaj, wipro, C&G, Havells, HPL)	Each		
103	100A, 450MM long aluminium TPN Bus bar (Havells, gico, HPL)	Each		
104	200A, 450MM long aluminium TPN Bus bar (Havells, gico, HPL)	Each		
105	300A, 450MM long aluminium TPN Bus bar (Havells, gico, HPL)	Each		
106	a) 35/8 iron screw (good quality)	pkt		
	b) 50/10 iron screw (good quality)	pkt		
107	1.5" PVC gutka (good quality)	pkt		
108	PVC Black tape (Steel grip)	Roll		
109	6 sq mm twin core weather proof aluminium conductor cable (ISI Marked)	Meter		
110	10 sq mm twin core weather proof aluminium conductor cable (ISI Marked)	Meter		

Estate (i/c)

Dean (P and D)

Signature of Agency / Firm / Shop / Dealer

OR-
CR-
OM-

Sl. no.	Description of items	Unit	Rate in figure	Rate in word
111	40A MCB TYPE change over (Havells, HPL, C&S)	Each		
112	63A MCB TYPE change over (Havells, HPL, C&S)	Each		
113	500W Helozen lamp (only refile) (C&G, Helonex)	Each		
114	1000W Helozen lamp (only refile) (C&G, Helonex)	Each		
115	63 - 100A 3/4P, MCCB enclosure (Havells, standard, C&S)	Each		
116	125A MCCB 3/4P enclosure (Havells, standard, C&S)	Each		
117	160A MCCB 3/4P enclosure (Havells, standard, C&S)	Each		
118	4sq mm copper bottle/pin lug	Each		
119	6sq mm copper bottle/pin lug	Each		
120	10sq mm copper bottle/pin lug	Each		
121	16sq mm copper bottle/pin lug	Each		

Estate (i/c)

Dean (P and D)

Signature of Agency / Firm / Shop / Dealer

OR-
CR-
OM-

Sl. no.	Description of items	Unit	Rate in figure	Rate in word
122	4sq mm copper ring/forke lug	Each		
123	6sq mm copper ring/forke lug	Each		
124	10sq mm copper ring/forke lug	Each		
125	16sq mm copper ring/forke lug	Each		
126	8 SWG copper wire	Meter		
127	6 SWG GI wire	Meter		
128	8 SWG GI wire	Meter		
130	M8 to M16 M.S. nut bolts with washer	KG		
131	1.5 sq mm 3 core multistrand PVC insulated copper cable. (ISI marked)	Meter		
132	2.5 sq mm 3 core multistrand PVC insulated copper cable. (ISI marked)	Meter		
133	6A 3 Pin top (ISI marked)	Each		

Estate (i/c)

Dean (P and D)

Signature of Agency / Firm / Shop / Dealer

OR-
CR-
OM-

Sl. no.	Description of items	Unit	Rate in figure	Rate in word
134	16A 3/5 Pin top (ISI marked)	Each		
135	500W Helozen holder	Each		
136	1000W Helozen holder	Each		
138	6.5 mm masonry drill bit (JK, ITI)	Each		
139	25mm, 300 mm long masonry drill bit (JK, ITI)	Each		
140	10W LED tube light with driver and complete fittings (HPL, Havells, bajaj, C&S, Wipro)	Each		
141	18/20W LED tube light with driver and complete fittings (HPL, Bajaj, Havells, C&S, Wipro)	Each		
142	Electronic 100w step type fan regulator 2module/socket type (Anchor, HPL)	Each		
143	Electronic modular fan speed controller (fan regulator) legrand, HPL, L&T , Anchor)	Each		
144	a)Fan bearing no. 6201	Each		
	b)Fan bearing no. 6202	Each		

Sl. no.	Description of items	Unit	Rate in figure	Rate in word
	c)Fan bearing no. 6203	Each		
145	1200 mm sweep celing fan of star rating 5 and ISI marked	Each		
146	1400 mm sweep celing fan of star rating 5 and ISI marked	Each		
147	Exhaust fan (CG, Havells, Usha)	Each		
	225 mm sweep 900 rpm	Each		
	300 mm sweep 900 rpm	Each		
	450 mm sweep 900 rpm	Each		
	600 mm sweep 900 rpm	Each		
148	a)Bazzar bell (anchor, maru)	Each		
	b) bell push (anchor, maru)	Each		
	C) Ding dong musical bell (ISI marked)	Each		

Sl. no.	Description of items	Unit	Rate in figure	Rate in word
149	20 mm GI saddle	Each		
150	25 mm GI saddle	Each		
151	32 mm GI open saddle	Each		
152	` Double door TPN MCB DB (C&S, Havells, HPL, L&T)	Each		
	a) 4 way TPN (4+12) double door	Each		
	b) 4 way TPN (4+18) double door	Each		
	c) 4 way TPN (4+24) double door	Each		
153	4.5 meter long 40 mm dia heavy duty GI earth pipe.	Each		
154	11 KV porcelain L.A. (lemco, obliom)	Set		
155	11 KV porcelain G.O switch (ABI, MCI, RRI)	Set		
156	11 KV porcelain D.O switch (ABI, MCI, RRI)	Set		

Estate (i/c)

Dean (P and D)

Signature of Agency / Firm / Shop / Dealer

OR-
CR-
OM-

Sl. no.	Description of items	Unit	Rate in figure	Rate in word
157	11 KV porcelain pin insulator (ABI, MCI, RRI)	Each		
158	11 KV polymer L.A. (Rashtriya or equivalent)	Set		
159	11 KV polymer G.O switch (Rashtriya or equivalent)	Set		
160	11 KV polymer D.O switch (Rashtriya or equivalent)	Set		
161	11 KV polymer pin insulator (Rashtriya or equivalent)	Each		
162	5.0 KVA automatic input 90-280V out put 200 - 240V voltage stabilizer (vee-dee, v guard, indo)	Each		
163	50 sqmm 3.5 core armoured LT UG cable (havells, polycab, cci, crystal)	Meter		
164	70 sqmm 3.5 core armoured LT UG cable (havells, polycab, cci, crystal)	Meter		
165	95 sqmm 3.5 core armoured LT UG cable (havells, polycab, cci, crystal)	Meter		
166	120 sqmm 3.5 core armoured LT UG cable (havells, polycab, cci, crystal)	Meter		
167	150 sqmm 3.5 core armoured LT UG cable (havells, polycab, cci, crystal)	Meter		

Estate (i/c)

Dean (P and D)

Signature of Agency / Firm / Shop / Dealer

OR-
CR-
OM-

Sl. no.	Description of items	Unit	Rate in figure	Rate in word
168	240 sqmm 3.5 core armoured LT UG cable (havells, polycab, cci, crystal)	Meter		
169	300 sqmm 3.5 core armoured LT UG cable (havells, polycab, cci, crystal)	Meter		
170	185 sqmm, 11 KV 3core HT UG cable end termination kit in door type (MS or equivalent)	Each		
171	185 sqmm, 11 KV 3core HT UG cable end termination kit out door type (MS or equivalent)	Each		
172	240 sqmm, 11 KV 3core HT UG cable end termination kit out door type (MS or equivalent)	Each		
173	240 sqmm, 11 KV 3core HT UG cable end termination kit out door type (MS or equivalent)	Each		
174	T-5 28W fluorescent tube holder	Each		
175	36w 4pin pls holder	Each		
176	Ceiling fan capacitor clamp with connector.	Each		
177	Post top lantern type BRPTI 118 Clear or equivalent (1x18w'D' Type)	Each		
178	Street light polycarbonate cable terminal box with clamp (hensel or equivalent)	Each		

Estate (i/c)

Dean (P and D)

Signature of Agency / Firm / Shop / Dealer

OR-
CR-
OM-

Sl. no.	Description of items	Unit	Rate in figure	Rate in word
179	15w, 3U Type CFL (HPL)	Each		
180	50 sqmm 3.5 core resin cast type 1.1kv PVC/XLPE/PILC LT UG cable straight through jointing kit (MS, SEAL)	Each		
181	70 sqmm 3.5 core resin cast type 1.1kv PVC/XLPE/PILC LT UG cable straight through jointing kit (MS, SEAL)	Each		
182	95 sqmm 3.5 core resin cast type 1.1kv PVC/XLPE/PILC LT UG cable straight through jointing kit (MS, SEAL)	Each		
183	120 sqmm 3.5 core resin cast type 1.1kv PVC/XLPE/PILC LT UG cable straight through jointing kit (MS, SEAL)	Each		
184	150 sqmm 3.5 core resin cast type 1.1kv PVC/XLPE/PILC LT UG cable straight through jointing kit (MS, SEAL)	Each		
185	240 sqmm 3.5 core resin cast type 1.1kv PVC/XLPE/PILC LT UG cable straight through jointing kit (MS, SEAL)	Each		
186	300 sqmm 3.5 core resin cast type 1.1kv PVC/XLPE/PILC LT UG cable straight through jointing kit (MS, SEAL)	Each		
187	400 sqmm 3.5 core resin cast type 1.1kv PVC/XLPE/PILC LT UG cable straight through jointing kit (MS, SEAL)	Each		
188	Transformer oil, ISO marked,(power on, penzole, transol, Mak hivoltol)	Liter		
189	35 SWG copper winding wire	KG		

Estate (i/c)

Dean (P and D)

Signature of Agency / Firm / Shop / Dealer

OR-
CR-
OM-

Sl. no.	Description of items	Unit	Rate in figure	Rate in word
190	Electronic weighing machine (100KG) Make- Gold Tech or equivalent	Each		
191	Coksheet (gasket of transformer) make-Natlional	KG		
192	63A AC23 duty, 4pole SDFU with fuse unit. Make- HPL or equivalent	Each		
193	125A AC23 duty, 4pole SDFU with fuse unit. Make- HPL or equivalent	Each		
194	12v 150AH sealed maintenance free battery. Make: Exide	Each		
195	Less for old battery exchange against item no. 194	Each		